





#### **Table of Contents**

Section	Page
Engineer's Signature	2
General	3
Civil Sheets	4
Interior Plumbing	5
Landscaping & Irrigation	6

#### **NOTE:**

The plan review checklist is intended as a starting guide only to assist the developer's engineer in preparing a plan set that generally meets the District's requirements. The items noted in the plan review checklist are minimum requirements and do not fully reflect all items we considered during our review. Additional comments may be included on the redlined plans when returned to the developer's engineer, but they are not included in this checklist.





# Engineer's Signature

Project Name:		
Project Address:		
Date of Plan Review Submission:		<del></del>
l,	, 6	a Professional Engineer duly
Licensed to practice in the State of Texas, have	signed and sealed this develor	oment set of plans to serve the
referenced project and certify that the plan subm	nission complies with this check	list of requirements as provided
by Bridgestone Municipal Utility District.		
		Engineer's Seal:
Engineer Company Name (if applicable):	Da	te:
Engineer Name (Please Print):		<del></del> ,
Engineer Signature:		
Address:		
City:Sta	te:Zi	p:
Phone No.: F-m	ail·	





#### General

P	Provided		Requirement/Description
Yes	No	N/A	
			A copy of the recorded plat for the tract must be provided.
			Civil site plan submittals must include completed approval sheets from the Harris County Engineering Department and the Harris County Flood Control District. While County and City of Houston approvals are required for final plan approval, plans can be submitted to the District before obtaining these approvals.
			Bridgestone Municipal Utility District's General Construction Notes must be shown on the plans. A copy of the General Construction Notes is enclosed in this checklist for your reference.
			All sheets showing waterlines, sanitary sewer lines, or accompanying fixtures are subject to the District Engineer's review and approval and must include the District Engineer's signature block provided in Bridgestone's General Construction Notes. The signature block should also be shown on the cover sheet if possible.
			All civil site and interior plumbing sheets must be signed and sealed by a licensed Professional Engineer in the State of Texas, including the Firm Registration number. A licensed Professional Engineer, Landscape Architect, or Landscape Irrigator may sign landscape and irrigation plans.
			The coversheet must include the site address, vicinity map, and sheet index.
			All applicable civil site, interior plumbing, landscape, and irrigation plans must be included in a single submittal before review.
			All proposed utilities and fixtures must match the civil site, interior plumbing, irrigation, and landscape plans, if applicable.
			If any proposed utility encroaches on another entity's easement, provide approval from the entity for the proposed encroachment via a recorded encroachment agreement, including recording information.
			Suppose the development must pay an Existing Infrastructure Fee ("EIF"), as outlined in the development's feasibility study. In that case, the EIF must be paid to the District before plan approval will be issued.
			Suppose the development must pay a Park Contribution Fee ("PCF"), as outlined in the development's feasibility study. In that case, the PCF must be paid to the District before plan approval will be issued.
			All proposed easement encroachments, including, but not limited to, trees, shrubs, landscaping, paving, and monument signs, will need to be reviewed and approved by the District. An 11x17 encroachment exhibit, which clearly outlines, identifies, and labels all the proposed encroachments to the District's easements, must be submitted for the District's approval at their Board meeting. If the proposed encroachments are approved, an easement encroachment agreement must be prepared and executed before the encroachments are constructed or the Owner/Developer receives water and sewer service from the District. The cost associated with obtaining and recording any easements or encroachment agreements will be the full responsibility of the Owner/Developer. Once fully executed, the District's attorney will record the encroachment agreement and provide you with copies for your records. A deposit of \$4,000 made payable to Bridgestone Municipal Utility District is required from the Owner to prepare and record the encroachment agreement. Without the deposits, the encroachment agreement will not be prepared.





### **Civil Sheets**

P	Provided		Requirement/Description
Yes	No	N/A	
			All proposed facilities must meet the latest City of Houston and Harris County design criteria.
			The plans must clearly show all proposed pipe materials, line sizes, and flow line elevations.
			Existing public water and sanitary sewer facilities must be clearly labeled as "Existing," "Public," and owned by "Bridgestone MUD."
			Proposed private water and sanitary sewer facilities must be labeled "Proposed" and "Private."
			Show and label all existing or proposed easements, including recording information.
			The development's connection to the District's existing waterline must be a TS&V connection and be performed "by the District's Operator at the owner's expense."
			A sanitary sewer tie-in to Bridgestone's sanitary sewer collection system must be at an existing manhole, or a new manhole must be proposed. If a new manhole is proposed, it must be installed using the doghouse method if Bridgestone's sanitary sewer line exists.
			Domestic and fire waterlines must include a Reduced Pressure Zone backflow preventer.
			Clearly show and label sanitary sewer lines and waterline connections to each building.
			Provide plan and profile drawings if a waterline or sanitary sewer line connection requires boring across the street.
			Water meters must be located within an existing public waterline easement, public street right-of-way, or a public water meter easement dedicated to the District.
			All sanitary sewer lines exterior to the building must be a minimum of 6 inches (6") in diameter.
			A sample well will be provided in an accessible location with a 6-inch (6") inflow drop. Sample wells cannot be located in parking spaces, drive-thrus, etc. The sample well must be located downstream of the grease waste line and domestic sanitary sewer line convergence. See Park USA SWB-2 detail for an example of an acceptable sample well.
			Any proposed water meter easements must be recorded before plan approval. Please prepare the metes and bounds for the proposed water meter easements and provide us with a copy for our review. Once approved, the District's attorney will prepare easement conveyance agreements for the Owner's execution. Once executed, the District's attorney will record the easement conveyance agreements and provide you with copies for your records. A deposit of \$4,000 made payable to Bridgestone Municipal Utility District is required from the Owner to prepare and record the water meter easement. Without the deposits, the easement conveyance documents will not be prepared.
			Each proposed building must include a single waterline connection to the District's water distribution system with a separate water meter.
			Each proposed building must include a single sanitary sewer line connection to the District's sanitary sewer collection system.
			An external lint interceptor is required for all dry cleaners, laundromats, pet groomers, hair salons, and washaterias. Identify the size of the proposed lint interceptor and provide signed and sealed sizing calculations.





# **Interior Plumbing**

Provided		led	Requirement/Description
Yes	No	N/A	Requirement, Description
			Sanitary sewer and waterline connections and line sizes match what is shown on the civil site plans.
			All interior sanitary sewer lines are oriented with the direction of flow. All bends in the sanitary sewer lines must be less than 45°.
			All fixtures have a sanitary sewer line, hot water, and cold waterline connections, as applicable.
			All pipe materials and line sizes for sanitary sewers and hot and cold waterlines are labeled.
			All sanitary sewer lines and cold and hot waterlines are labeled "existing" or "proposed".
			Interior plumbing plans must include riser diagrams showing water and sanitary sewer utilities and corresponding connections to fixtures.
			All bathroom fixtures must have a sanitary sewer line connection for domestic waste. These fixtures should not connect to lint interceptor waste lines.
			All proposed washer and dryer facilities must have a lint waste line connection. These fixtures should not connect to lint interceptor waste lines.
			All applicable lint fixtures outside bathrooms must have a lint interceptor waste line connection. These fixtures cannot connect to sanitary sewer lines.





# Landscape & Irrigation

Provided		led	Requirement/Description
Yes	No	N/A	Requirement, Description
			Show and label all existing or proposed easements, including recording information.
			No trees, shrubs, landscaping, paving, or monument signs are proposed inside an existing or proposed easement unless the Board has approved an encroachment request, and an encroachment agreement has been executed.
			The irrigation water meter must be located within an existing public waterline easement, public street right-ofway, or a public water meter easement dedicated to the District.
			Irrigation waterlines must include a reduced pressure zone backflow preventer.